

**INSPIREDFLOORING.US** 



# TABLE OF CONTENTS



| Why Inspired?  | 3  |
|--|----|
| Liberty Park Warranty Information                                | 4  |
| Independence Park Warranty Information                           | 5  |
| WPC and SPC Maintenance and Cleaning Instructions                | 6  |
| Grant Park Warranty Information                                  | 7  |
| Patterson Park Warranty Information                              | 8  |
| Laminate Maintenance and Cleaning Instructions                   | 9  |
| Prospect Park Warranty Information                               | 10 |
| Silver Lake Park Warranty Information                            | 11 |
| Cascade Park LVP Warranty, Maintenance, and Cleaning Information | 12 |
| Specifications   | 13 |



## Why Inspired?

We have a unique view on flooring. We provide a great quality product at an affordable price. We source flooring that meets our rigorous performance and quality expectations like:

- FloorScore and Carb2 Environmental Ratings
- UNILIN Locking Mechanism
- AC4 rated Laminate Scratch Resistance
- 20MIL Standard Wearlayer on WPC and SPC

Our flooring has features to give your home a great look; from large plank sizes to great and unique colors to microbevel. Inspired Flooring is truly

flooring for your life/style.



Inspired warrants that from the date of the original purchase throughout the length of the warranty (25 years) of the product you purchase, your SPC Floor:

- · Will not stain
- · Will not wear through
- Will not fade as a result of direct sunlight or artificial light
- · Will not absorb water

#### Lifetime Structural Integrity Warranty:

Inspired warrants to the original purchaser that this laminate product, in its manufactured condition, will be free from defects in material or workmanship including milling, assembly, and dimension. Any damage to the wear layer must be evident and visible measuring at least two (2) square inches. What you should do if any of the above listed problems occur and you need warranty service: You (the original purchaser) should notify the authorized flooring dealer from which the original purchase was made of any defect no later than 15 days after discovering the defect but within the time period of this limited warranty. You (the original purchaser) must present to that authorized flooring dealer the following items for a warranty claim to be considered: A valid proof of purchase in the form of a sales receipt or other documents which establish proof of purchase. A detailed description of the problem and/or a photograph/sample that clearly shows the warranty problem.

### What Inspired will do should you need warranty service:

If Inspired honors a claim under this limited warranty, it will repair or replace, at its option, the cost of the affected flooring material only on a pro-rated basis (on original invoice of material only to original purchaser) for the duration of the warranty. The original purchaser shall be responsible for the difference between the replacement/repair amount and the pro-rated amount. If professionally installed, Inspired will pay the reasonable labor costs to perform the replacement or repair during the first one (1) year from the date of the original purchase. In the event that the color installed is no longer available, Inspired will authorize your dealer to replace the affected floor with another Inspired product of equal value and the pro-rated invoice value will be applied to the new Inspired product with the original purchaser being responsible for the difference, if any. The above described remedy is the purchaser's sole and exclusive remedy for claims under this limited warranty.

## Liberty Park 25 year SPC Warranty

## This Residential Limited Warranty is subject to the following conditions:

This limited warranty is valid only in the United States of America. The warranty is not transferable and extends only to the original purchaser. This limited warranty applies only where the affected area is visible and covers an area greater than two square inches. The flooring must be installed in accordance with Inspired's recommended installation instructions. This limited warranty shall not apply to damage arising from any of the following:

- Accidents, abuse or misuse
- Exposure to extreme heat or steam
- Installation to uncontrolled climate areas
- Installation outside of a residential structure
- Scratch, impact, or cutting Improper installation
- · Improper cleaning, care and maintenance
- Freight
- Modification, alterations, repair, or service by a non authorized floor covering dealer
- · Excessive or prolonged water damage
- Damage due to failure to use appropriate chair pads
- Damage resulting from or in connection with subfloor conditions
- Damage resulting from excessive wear, abuse, or use. Installed flooring in bathrooms, laundry rooms or areas with excessive moisture (indirect or direct).

#### Please Note:















Inspired warrants that from the date of the original purchase throughout the length of the warranty (15 years) of the product you purchase, your SPC Floor:

- · Will not stain
- · Will not wear through
- Will not fade as a result of direct sunlight or artificial light
- · Will not absorb water

#### Lifetime Structural Integrity Warranty:

Inspired warrants to the original purchaser that this laminate product, in its manufactured condition, will be free from defects in material or workmanship including milling, assembly, and dimension. Any damage to the wear layer must be evident and visible measuring at least two (2) square inches. What you should do if any of the above listed problems occur and you need warranty service: You (the original purchaser) should notify the authorized flooring dealer from which the original purchase was made of any defect no later than 15 days after discovering the defect but within the time period of this limited warranty. You (the original purchaser) must present to that authorized flooring dealer the following items for a warranty claim to be considered: A valid proof of purchase in the form of a sales receipt or other documents which establish proof of purchase. A detailed description of the problem and/or a photograph/sample that clearly shows the warranty problem.

## What Inspired will do should you need warranty service:

If Inspired honors a claim under this limited warranty, it will repair or replace, at its option, the cost of the affected flooring material only on a pro-rated basis (on original invoice of material only to original purchaser) for the duration of the warranty. The original purchaser shall be responsible for the difference between the replacement/repair amount and the pro-rated amount. If professionally installed, Inspired will pay the reasonable labor costs to perform the replacement or repair during the first one (1) year from the date of the original purchase. In the event that the color installed is no longer available, Inspired will authorize your dealer to replace the affected floor with another Inspired product of equal value and the pro-rated invoice value will be applied to the new Inspired product with the original purchaser being responsible for the difference, if any. The above described remedy is the purchaser's sole and exclusive remedy for claims under this limited warranty.

## Independence Park 15 year SPC Warranty

## This Residential Limited Warranty is subject to the following conditions:

This limited warranty is valid only in the United States of America. The warranty is not transferable and extends only to the original purchaser. This limited warranty applies only where the affected area is visible and covers an area greater than two square inches. The flooring must be installed in accordance with Inspired's recommended installation instructions. This limited warranty shall not apply to damage arising from any of the following:

- Accidents, abuse or misuse
- · Exposure to extreme heat or steam
- Installation to uncontrolled climate areas
- Installation outside of a residential structure
- Scratch, impact, or cutting Improper installation
- Improper cleaning, care and maintenance
- Freight
- Modification, alterations, repair, or service by a non authorized floor covering dealer
- · Excessive or prolonged water damage
- · Damage due to failure to use appropriate chair pads
- Damage resulting from or in connection with subfloor conditions
- Damage resulting from excessive wear, abuse, or use.
   Installed flooring in bathrooms, laundry rooms or areas with excessive moisture (indirect or direct).

#### Please Note:















## Care and Maintenance SPC and WPC

WPC & SPC (water-proof core) vinyl floors are a great option for homeowners looking for an attractive, affordable, durable, and long-lasting alternative to traditional hardwood floors, plus they're 100% waterproof. Learning how to clean and care for your floor will ensure that you continue to enjoy your investment for years.

Here are a few tips to clean and care for WPC / SPC flooring:

WPC/SPC flooring is a low-maintenance material. In other words, you can keep it looking fabulous with an occasional vacuum and damp mop. Dry mop or vacuum your floor before wet cleaning in order to remove as much dust, dirt, and debris as possible. Make sure to clean the baseboards, corners, and under your furniture, as well.

It is quite easy to deal with unexpected spills on your WPC/SPC floor. But as with any surface, any spill should be cleaned immediately, as they tend to get harder to deal with the longer they stay. Simply wipe the spills with warm water and a gentle cleaner. There is no need for hard scrubbing or harsh cleaners.

When moving furniture, appliances, or other heavy items across the flooring, It's best to lift, move and put down. Do NOT drag or push across the floor. This is a great way to prevent scuff marks or tears on your floor. In addition, consider using felt pads or vinyl coasters underneath the feet and legs of your furniture to safeguard your floor.

Lastly, the best way to care for your WPC /SPC flooring is by reducing the accumulation of dirt, stains, and abrasions, so you won't need to clean your floor regularly. Consider placing a rug or doormat at the entrance to your home or building to minimize the dirt and grime that goes inside.

Cleaning with Chemicals: Damp mop as needed using clean water and a diluted pH Neutral cleaner (Bona Stone Tile and Laminate Cleaner, Armstrong Floor Cleaner). Do NOT use harsh cleaners or chemicals on the floor. Do NOT use abrasive scrubbing tools. Do NOT use detergents, abrasive cleaners or "mop and shine" products. Do not use a steam cleaner.

Resilient floors are damaged by solvents, only use properly rated cleaners. Oil or petroleum-based products can result in surface staining. Do not track asphalt driveway sealer or automobile oil drips onto the vinyl floor covering. All chair legs must have protective feet.

Black rubber wheels and rubber feet can discolor the floor. Do not expose Inspired floors to temperature exceeding 120° F. Avoid prolonged exposure to direct sunlight as this will result in discoloration and expansion. The use of drapes, blind systems or protective window film is required.

Vinyl flooring, like other types of smooth floors, may become slippery when wet. Allow time for floor to dry after cleaning. Immediately wipe up wet areas from spills, foreign substances or wet feet.

Steam cleaners or cleaning with a lot of water or steam will damage your floor and will void warranty coverage.

#### Maintenance Tips:

- Walk-off mats should be used at all entrances to absorb soil and moisture. If mats are placed directly on top of the resilient floors, use mats without latex or rubber backings to avoid possible discoloration.
- Daily removal of dirt and dust is important to prevent particles from abrading the surface of resilient floors.
   Sweeping, dust mopping, and vacuuming are recommendations to remove soil particles that can result in scratches and worn appearances. Do not use vacuums with rotating beater bars on hard surfaces.
- Absorb wet spills as quickly as possible by blotting with paper or cloth towels.
   Rinse with water if necessary and blot dry.



Inspired warrants that from the date of the original purchase throughout the length of the warranty (25 years) of the product you purchase, your Laminate Floor:

- Will not stain
- Will not wear through
- Will not fade as a result of direct sunlight or artificial light

#### Lifetime Structural Integrity Warranty:

Inspired warrants to the original purchaser that this laminate product, in its manufactured condition, will be free from defects in material or workmanship including milling, assembly, and dimension. Any damage to the wear layer must be evident and visible measuring at least two (2) square inches. What you should do if any of the above listed problems occur and you need warranty service: You (the original purchaser) should notify the authorized flooring dealer from which the original purchase was made of any defect no later than 15 days after discovering the defect but within the time period of this limited warranty. You (the original purchaser) must present to that authorized flooring dealer the following items for a warranty claim to be considered: A valid proof of purchase in the form of a sales receipt or other documents which establish proof of purchase. A detailed description of the problem and/or a photograph/sample that clearly shows the warranty problem.

### What Inspired will do should you need warranty service:

If Inspired honors a claim under this limited warranty, it will repair or replace, at its option, the cost of the affected flooring material only on a pro-rated basis (on original invoice of material only to original purchaser) for the duration of the warranty. The original purchaser shall be responsible for the difference between the replacement/repair amount and the pro-rated amount. If professionally installed, Inspired will pay the reasonable labor costs to perform the replacement or repair during the first one (1) year from the date of the original purchase. In the event that the color installed is no longer available, Inspired will authorize your dealer to replace the affected floor with another Inspired product of equal value and the pro-rated invoice value will be applied to the new Inspired product with the original purchaser being responsible for the difference, if any. The above described remedy is the purchaser's sole and exclusive remedy for claims under this limited warranty.

## Grant Park - 12MM 25 year Laminate Warranty

## This Residential Limited Warranty is subject to the following conditions:

This limited warranty is valid only in the United States of America. The warranty is not transferable and extends only to the original purchaser. This limited warranty applies only where the affected area is visible and covers an area greater than two square inches. The flooring must be installed in accordance with Inspired's recommended installation instructions. This limited warranty shall not apply to damage arising from any of the following:

- · Accidents, abuse or misuse
- · Exposure to extreme heat or steam
- · Scratch, impact, or cutting
- Improper installation
- Improper cleaning, care and maintenance
- Freight
- Modification, alterations, repair, or service by a nonauthorized floor covering dealer
- · Water damage
- Damage due to failure to use appropriate chair pads
- Damage resulting from or in connection with subfloor conditions
- Damage resulting from excessive wear, abuse, or use.
- Installed flooring in bathrooms, laundry rooms or areas with excessive moisture (indirect or direct).

#### Please Note:

















### Patterson Park - 8 MM

### 15 year Laminate Warranty

#### What this Residential Limited Warranty covers:

Inspired warrants that from the date of the original purchase throughout the length of the warranty (15 years) of the product you purchase, your Laminate Floor:

- Will not stain
- Will not wear through
- Will not fade as a result of direct sunlight or artificial light

#### Lifetime Structural Integrity Warranty:

Inspired warrants to the original purchaser that this laminate product, in its manufactured condition, will be free from defects in material or workmanship including milling, assembly, and dimension. Any damage to the wear layer must be evident and visible measuring at least two (2) square inches. What you should do if any of the above listed problems occur and you need warranty service: You (the original purchaser) should notify the authorized flooring dealer from which the original purchase was made of any defect no later than 15 days after discovering the defect but within the time period of this limited warranty. You (the original purchaser) must present to that authorized flooring dealer the following items for a warranty claim to be considered: A valid proof of purchase in the form of a sales receipt or other documents which establish proof of purchase. A detailed description of the problem and/or a photograph/sample that clearly shows the warranty problem.

### What Inspired will do should you need warranty service:

If Inspired honors a claim under this limited warranty, it will repair or replace, at its option, the cost of the affected flooring material only on a pro-rated basis (on original invoice of material only to original purchaser) for the duration of the warranty. The original purchaser shall be responsible for the difference between the replacement/repair amount and the pro-rated amount. If professionally installed, Inspired will pay the reasonable labor costs to perform the replacement or repair during the first one (1) year from the date of the original purchase. In the event that the color installed is no longer available, Inspired will authorize your dealer to replace the affected floor with another Inspired product of equal value and the pro-rated invoice value will be applied to the new Inspired product with the original purchaser being responsible for the difference, if any. The above described remedy is the purchaser's sole and exclusive remedy for claims under this limited warranty.

## This Residential Limited Warranty is subject to the following conditions:

This limited warranty is valid only in the United States of America. The warranty is not transferable and extends only to the original purchaser. This limited warranty applies only where the affected area is visible and covers an area greater than two square inches. The flooring must be installed in accordance with Inspired's recommended installation instructions. This limited warranty shall not apply to damage arising from any of the following:

- · Accidents, abuse or misuse
- Exposure to extreme heat or steam
- · Scratch, impact, or cutting
- Improper installation
- Improper cleaning, care and maintenance
- Freight
- Modification, alterations, repair, or service by a nonauthorized floor covering dealer
- Water damage
- Damage due to failure to use appropriate chair pads
- Damage resulting from or in connection with subfloor conditions
- Damage resulting from excessive wear, abuse, or use.
- Installed flooring in bathrooms, laundry rooms or areas with excessive moisture (indirect or direct).

#### Please Note:

















## Care and Maintenance Laminate Flooring

#### **Routine Maintenance**

- 1. Use a damp cloth to blot up spills as soon as they happen. Never allow liquids to stand on your floor.
- 2. For tough spots, such as oil, paint, markers, lipstick, ink, or tar, use acetone/nail polish remover on a clean white cloth, then wipe the area with a damp cloth to remove any remaining residue.
- 3. Sweep, dust, or vacuum the floor regularly with the hard floor attachment (not the beater bar) to prevent accumulation of dirt and grit that can scratch or dull the floor finish.
- 4. Periodically clean the floor with cleaning products made specifically for laminate floor care.
- 5. Do not wash, steam clean, or wet mop the floor with soap, water, oil-soap detergent, or any other liquid cleaning material. This could cause swelling, warping, delamination, joint-line separation, or other damage that may not be covered by your warranty.
- 6. Do not use steel wool, abrasive cleaners, or strong ammoniated or chlorinated type cleaners.
- 7. Do not use any type of buffing or polishing machine.
- 8. For spots such as candle wax or chewing gum, apply a gel solvent or isopropyl alcohol and let dwell for a few minutes. Gently scrape with a plastic scraper, such as a credit card. Be careful not to scratch the flooring surface. Always clean with a neutral cleaner or rinse with water to remove residue.
- 9. A more frequent dust-mopping or vacuuming schedule may be required in very sandy areas such as a beach home.

#### **Additional Care Instructions**

- Entry mats will help collect the dirt, sand, grit, and other substances such as oil, asphalt, or driveway sealer that might otherwise be tracked onto your floor.
- To prevent slippage of area rugs, use an approved vinyl rug underlayment.
- Use floor protectors and wide-load bearing leg bases/ rollers to minimize the chance of indentations and scratches from heavy objects. As a rule, the heavier the object, the wider the floor protector.
- Maintain a normal indoor relative humidity level between 35% and 65% throughout the year to minimize the natural expansion and contraction of the wood.
- Heating season (Dry): A humidifier is recommended to prevent excess shrinkage due to low humidity levels. Wood stove and electric heat tend to create very dry conditions.
- Non-Heating Season (Wet): An air conditioner, dehumidifier, or periodically turning on your heating will help to maintain humidity levels during summer months.
- Avoid excessive exposure to water during periods of inclement weather.
- Keep your pet's nails trimmed to prevent them from scratching your floor.
- Never try to slide heavy objects across the floor.
- A protective mat should be used for furniture or chairs with castors.



Inspired warrants that from the date of the original purchase throughout the length of the warranty (25 years) of the product you purchase, your WPC Floor:

- · Will not stain
- · Will not wear through
- Will not fade as a result of direct sunlight or artificial light
- · Will not absorb water

#### Lifetime Structural Integrity Warranty:

Inspired warrants to the original purchaser that this laminate product, in its manufactured condition, will be free from defects in material or workmanship including milling, assembly, and dimension. Any damage to the wear layer must be evident and visible measuring at least two (2) square inches. What you should do if any of the above listed problems occur and you need warranty service: You (the original purchaser) should notify the authorized flooring dealer from which the original purchase was made of any defect no later than 15 days after discovering the defect but within the time period of this limited warranty. You (the original purchaser) must present to that authorized flooring dealer the following items for a warranty claim to be considered: A valid proof of purchase in the form of a sales receipt or other documents which establish proof of purchase. A detailed description of the problem and/or a photograph/sample that clearly shows the warranty problem.

## What Inspired will do should you need warranty service:

If Inspired honors a claim under this limited warranty, it will repair or replace, at its option, the cost of the affected flooring material only on a pro-rated basis (on original invoice of material only to original purchaser) for the duration of the warranty. The original purchaser shall be responsible for the difference between the replacement/repair amount and the pro-rated amount. If professionally installed, Inspired will pay the reasonable labor costs to perform the replacement or repair during the first one (1) year from the date of the original purchase. In the event that the color installed is no longer available, Inspired will authorize your dealer to replace the affected floor with another Inspired product of equal value and the pro-rated invoice value will be applied to the new Inspired product with the original purchaser being responsible for the difference, if any. The above described remedy is the purchaser's sole and exclusive remedy for claims under this limited warranty.

## Prospect Park 25 year SPC Warranty

## This Residential Limited Warranty is subject to the following conditions:

This limited warranty is valid only in the United States of America. The warranty is not transferable and extends only to the original purchaser. This limited warranty applies only where the affected area is visible and covers an area greater than two square inches. The flooring must be installed in accordance with Inspired's recommended installation instructions. This limited warranty shall not apply to damage arising from any of the following:

- · Accidents, abuse or misuse
- Exposure to extreme heat or steam
- Installation to uncontrolled climate areas
- Installation outside of a residential structure
- Scratch, impact, or cutting Improper installation
- Improper cleaning, care and maintenance
- Freight
- Modification, alterations, repair, or service by a non authorized floor covering dealer
- · Excessive or prolonged water damage
- · Damage due to failure to use appropriate chair pads
- Damage resulting from or in connection with subfloor conditions
- Damage resulting from excessive wear, abuse, or use.
   Installed flooring in bathrooms, laundry rooms or areas with excessive moisture (indirect or direct).

#### Please Note:















Inspired warrants that from the date of the original purchase throughout the length of the warranty (15 years) of the product you purchase, your WPC Floor:

- · Will not stain
- · Will not wear through
- Will not fade as a result of direct sunlight or artificial light
- · Will not absorb water

#### Lifetime Structural Integrity Warranty:

Inspired warrants to the original purchaser that this laminate product, in its manufactured condition, will be free from defects in material or workmanship including milling, assembly, and dimension. Any damage to the wear layer must be evident and visible measuring at least two (2) square inches. What you should do if any of the above listed problems occur and you need warranty service: You (the original purchaser) should notify the authorized flooring dealer from which the original purchase was made of any defect no later than 15 days after discovering the defect but within the time period of this limited warranty. You (the original purchaser) must present to that authorized flooring dealer the following items for a warranty claim to be considered: A valid proof of purchase in the form of a sales receipt or other documents which establish proof of purchase. A detailed description of the problem and/or a photograph/sample that clearly shows the warranty problem.

## What Inspired will do should you need warranty service:

If Inspired honors a claim under this limited warranty, it will repair or replace, at its option, the cost of the affected flooring material only on a pro-rated basis (on original invoice of material only to original purchaser) for the duration of the warranty. The original purchaser shall be responsible for the difference between the replacement/repair amount and the pro-rated amount. If professionally installed, Inspired will pay the reasonable labor costs to perform the replacement or repair during the first one (1) year from the date of the original purchase. In the event that the color installed is no longer available, Inspired will authorize your dealer to replace the affected floor with another Inspired product of equal value and the pro-rated invoice value will be applied to the new Inspired product with the original purchaser being responsible for the difference, if any. The above described remedy is the purchaser's sole and exclusive remedy for claims under this limited warranty.

## Silver Lake Park

## 15 year WPC Warranty

## This Residential Limited Warranty is subject to the following conditions:

This limited warranty is valid only in the United States of America. The warranty is not transferable and extends only to the original purchaser. This limited warranty applies only where the affected area is visible and covers an area greater than two square inches. The flooring must be installed in accordance with Inspired's recommended installation instructions. This limited warranty shall not apply to damage arising from any of the following:

- · Accidents, abuse or misuse
- · Exposure to extreme heat or steam
- · Installation to uncontrolled climate areas
- Installation outside of a residential structure
- Scratch, impact, or cutting Improper installation
- · Improper cleaning, care and maintenance
- Freight
- Modification, alterations, repair, or service by a non authorized floor covering dealer
- Excessive or prolonged water damage
- · Damage due to failure to use appropriate chair pads
- Damage resulting from or in connection with subfloor conditions
- Damage resulting from excessive wear, abuse, or use.
   Installed flooring in bathrooms, laundry rooms or areas with excessive moisture (indirect or direct).

#### Please Note:















## Warranty, Care and Maintenance 2MM / 2.5MM GLUE DOWN LVP

#### 6 Year Light Commerical / 15 Year Residential

Inspired Flooring warrants that it's Luxury Vinyl Plank Flooring products will be free from manufacturing defects for the length of time specified for the particular product. This warranty further covers delaminating, loss of original pattern and color due to fading or wear, when the flooring is subject to normal residential use, provided the flooring covered by this warranty is installed and maintained according to the instructions included in the original packaging.

#### **MAINTENANCE**

New floors should not be saturated or wet cleaned for 5 days after installation. Only damp mopping is recommended between installation and the 5-day period. Always protect floors when moving heavy objects to prevent permanent scratches and tears. Allow the recommended minimum of 24 hours before moving heavy objects on newly installed floors. The use of plywood and heavy cardboard are examples of protective barriers. Use appropriate wide floor protectors under tables, chairs, and any other heavy home furnishing to avoid permanent damage. Walk-off mats should be used at all entrances to absorb soil and moisture. If mats are placed directly on top of LVP, use mats without latex or rubber backings to avoid possible discoloration.

Daily removal of dirt and dust is important to prevent particles from abrading the surface of LVP. Sweeping, dust mopping, and vacuuming are recommendations to remove soil particles that can result in scratches and worn appearances. Periodic wet cleaning will be necessary to help maintain the floor's appearance.

Always pre-vacuum or dust mop before any type of wet cleaning. Appropriate vinyl floor cleaning equipment and cleaning agents (neutral pH cleaners) are recommended. Do not use abrasive cleaners or cleaning agents that leave dull residues on the surface of the floors.

Follow the cleaning manufacturer's instructions for damp mopping and application. If rinsing is necessary, use clean water and expedite drying with air movers or fans. Do not use a steam cleaner.

#### **TERMS**

If, within One (1) Year: a defect covered by this warranty is found and reported to the merchant from which the floor was purchased in writing within one year of purchase, Inspired will supply new flooring material of similar color, pattern, and quality to replace the defective area. Inspired will also pay reasonable labor costs if professional installation was paid for when the floor was originally installed. Further, homeowner shall provide copy of original receipt for flooring to verify product and date of purchase. If, after One (1) Year and prior to expiration of the warranty: a defect covered by this warranty

is found and reported to the merchant from which the floor was purchased in writing after one year but within two years of purchase, Inspired Flooring Company will supply new flooring material of similar color, pattern, and quality to replace the defective area. Inspired will not provide any labor toward installation.

Inspired reserves the right to repair any floor and/or to use its own source to obtain an installer for replacement flooring. If Inspired repairs or replaces a floor as a result of a warranty claim, it is the customer's responsibility to clear, at their own expense, any items placed over the affected areas subsequent to the original installation. In the event that Inspired repairs a floor, this warranty shall remain in effect with respect to such floor.

This warranty applies only to a resident homeowner (owner-occupied) who is the original purchaser of the Inspired LVP products, not to any subsequent homeowner. Further, this warranty does not apply to any multi-unit apartment, condominium, rooming houses or hotels where the owner is not occupying the space.

Darker, solid colors naturally show more scratches and dirt and require more maintenance. We can not warrant the product against these normal occurrences. Inherent in Luxury Vinyl Plank Flooring is expansion and contraction. Please ensure that installation instructions are followed regarding spacing, expansion joints and expansion near interior or exterior walls. Any expansion or contraction of less than than 1/8 inch will not be considered a manufacturing defect and therefore is not subject to this warranty. Further, the following are specific exclusions:

- Damage caused by fire or flood; moisture intrusion caused by emissions from subfloor; intentional abuse; damage caused by vacuum cleaner beater bar; indentations or damage caused by improper rolling loads, chairs, or other furniture not using proper floor protectors or caster wheels; cutting from sharp objects; asphalt staining and staining from rubber mats; surface scratches; changes in color or sheen appearance when exposed to a natural light source; exterior application or loss due to inconvenience, loss of time, incidental expenses, or consequential damages.
- Damage caused by improper cleaning methods, including incorrect cleaning agents and/or steam cleaning.
- Minor shading, color, or texture differences between samples and delivered product.
- Minor (<1/8") expansion and contraction of the plank at the joint/seam is expected and inherent with LVP and will not be considered a manufacturing defect.
- If, prior to installation, Inspired's LVP floors are not acclimated to room temperature (between 65°F and 85°F) at job site between 24 and 48 hours, and if, post-installation, Inspired's LVP floors that are not continuously maintained at such temperature, damage incurred may not be covered by your warranty.

Failure to install pursuant to installation instructions or product specification sheet. Failure to use appropriate appropriate adhesive, conduct proper floor prep will void entire warranty.

## SPECIFICATIONS

| PROSPECT PARK       |                      |                  |                       | WPC                         |
|---------------------|----------------------|------------------|-----------------------|-----------------------------|
| Thickness (Overall) | Underlayment Foam    | Wear Layer       | Warranty              | Surface Texture             |
| 8.5 MM              | 2 MM EVA<br>ATTACHED | 20 MIL           | 25 Years              | EIR, unless noted           |
|                     |                      |                  |                       |                             |
| Style Number        | Color Name           | Sq. ft. / Carton | Plank Dimensions (in) |                             |
| W001-04             | Ashford              | 23.79            | 7.08 x 60.43          |                             |
| W001-12             | Paradise             | 23.79            | 7.08 x 60.43          |                             |
| W001-15             | Barclay              | 23.79            | 7.08 x 60.43          |                             |
| W002-03             | Worthington          | 25.16            | 6.41 x 47.05          | FloorScore                  |
| W002-14             | Sandlewood           | 25.16            | 6.41 x 47.05          | Unilin Locking<br>Mechanism |
| W002-66             | Grande Reserve       | 25.16            | 6.41 x 47.05          | Painted Micro v-bevel       |
| W002-92             | Whisperwood          | 25.16            | 6.41 x 47.05          |                             |
| W003-88             | Breckenridge         | 28.37            | 7.08 x 48             |                             |
| W004-60             | Oceanview            | 28.37            | 7.08 x 48             |                             |
| W005-45             | Westport*            | 28.37            | 7.08 x 48             |                             |
| W005-46             | Gibralter*           | 28.37            | 7.08 x 48             |                             |
|                     |                      |                  |                       | *Woodgrain Embossed         |

| SILVER LAKE PARK    |                      |                  |                       | WPC                         |
|---------------------|----------------------|------------------|-----------------------|-----------------------------|
| Thickness (Overall) | Underlayment Foam    | Wear Layer       | Warranty              | Surface Texture             |
| 7.5 MM              | 2 MM EVA<br>ATTACHED | 12 MIL           | 15 Years              | EMBOSSED                    |
|                     |                      |                  |                       |                             |
| Style Number        | Color Name           | Sq. ft. / Carton | Plank Dimensions (in) |                             |
| W071-52             | Everest              | 26.77            | 7.08 x 60.43          |                             |
| W071-79             | Cabin                | 26.77            | 7.08 x 60.43          | FloorScore                  |
| W072-07             | Spyglass             | 28.37            | 7.08 x 48             | Unilin Locking<br>Mechanism |
| W073-31             | Ruston               | 28.37            | 7.08 x 48             | Painted Micro v-bevel       |
| W075-32             | Prescott             | 28.37            | 7.08 x 48             |                             |

| CASCADE PARK        |                                   |                       | VINYL                   | FloorScore Certified  |
|---------------------|-----------------------------------|-----------------------|-------------------------|-----------------------|
| Thickness (Overall) | Installation Method               | Wear Layer            | Warranty                | Surface Texture       |
| 2 MM or 2.5 MM      | Glue Down                         | 20 MIL / 12 MIL       | 15 Years                | EMBOSSED              |
| Style Number        | Color Name                        | 2 MM Sq. ft. / Carton | 2.5 MM Sq. ft. / Carton | Plank Dimensions (in) |
| VP02-76             | Princeton                         | 41.44                 | 33.15                   | 6.18 x 48.03          |
| VP02-08             | Woodcliff                         | 41.44                 | 33.15                   | 6.18 x 48.03          |
| VP02-77             | Butternut - same as<br>Sandlewood | 45.32                 | 36.26                   | 6.8 x 48.03           |
| VP02-65             | Hilltop same as<br>Oceanview      | 41.44                 | 33.15                   | 6.18 x 48.03          |
| VP02-33             | Colorado - same as<br>Prescott    | 41.44                 | 33.15                   | 6.18 x 48.03          |
| VP0-99              | Montana                           | 41.44                 | 33.15                   | 6.18 x 48.03          |



## SPECIFICATIONS

| LIBERTY PARK        |                         |                  |                       | SPC                         |
|---------------------|-------------------------|------------------|-----------------------|-----------------------------|
| Thickness (Overall) | Underlayment Foam       | Wear Layer       | Warranty              | Surface Texture             |
| 6.5 MM              | 1.5 MM IXPE<br>ATTACHED | 20 MIL           | 25 YEARS              | EMBOSSED                    |
|                     |                         | Slip Rating      | Fire Rating           | Sound Rating                |
|                     |                         | DS               | B-s1                  | 67 db                       |
|                     |                         |                  |                       |                             |
| Style Number        | Color Name              | Sq. ft. / Carton | Plank Dimensions (in) |                             |
| S500-22             | Hilldale                | 23.64            | 7.08 x 48             |                             |
| S500-49             | Monterey                | 23.64            | 7.08 x 48             |                             |
| S510-68             | Crawford                | 23.79            | 7.08 x 60.43          | FloorScore                  |
| S510-17             | Summerset               | 23.79            | 7.08 x 60.43          | Unilin Locking<br>Mechanism |
| S510-36             | Bridgewood              | 23.79            | 7.08 x 60.43          | Painted Micro v-bevel       |
| S510-51             | Windsong                | 23.79            | 7.08 x 60.43          |                             |
| W071-52             | Everest II              | 23.79            | 7.08 x 60.43          |                             |
| W071-79             | Cabin II                | 23.79            | 7.08 x 60.43          |                             |
| W072-07             | Spyglass II             | 23.64            | 7.08 x 48             |                             |
| W073-31             | Ruston II               | 23.64            | 7.08 x 48             |                             |
| W075-32             | Prescott                | 23.64            | 7.08 x 48             |                             |
| W001-04             | Ashford II              | 23.79            | 7.08 x 60.43          |                             |
| W001-12             | Paradise II             | 23.79            | 7.08 x 60.43          |                             |
| W001-15             | Barclay II              | 23.79            | 7.08 x 60.43          |                             |
| W002-03             | Worthington II          | 25.08            | 6.42 x 47             |                             |
| W002-14             | Sandlewood II           | 25.08            | 6.42 x 47             |                             |
| W002-66             | Grande Reserve II       | 25.08            | 6.42 x 47             |                             |
| W002-92             | Whisperwood II          | 25.08            | 6.42 x 47             |                             |
| W003-88             | Breckenridge II         | 23.64            | 7.08 x 48             |                             |
| W004-60             | Oceanview II            | 23.64            | 7.08 x 48             |                             |
| W005-45             | Westport II             | 23.64            | 7.08 x 48             |                             |
| W005-46             | Gibralter II            | 23.64            | 7.08 x 48             |                             |

| INDEPENDENCE<br>PARK |                       |                  |  | SPC                         |
|----------------------|-----------------------|------------------|--|-----------------------------|
| Thickness (Overall)  | Underlayment Foam     | Wear Layer       | Warranty   | Surface Texture             |
| 5 MM                 | 1 MM IXPE<br>ATTACHED | 20 MIL*          | 15 YEARS   | EMBOSSED                    |
|                      |                       | Slip Rating      | Fire Rating  | Sound Rating                |
|                      |                       | DS               | B-s1   | 67 db                       |
| Style Number         | Color Name            | Sq. ft. / Carton | Plank Dimensions (in)  |                             |
| S470-82              | Alta *                | 23.68            | 7.08 x 48  |                             |
| S450-81              | Heavenly *            | 23.68            | 7.08 x 48  | FloorScore                  |
| S450-80              | Keystone *            | 23.68            | 7.08 x 48  | Unilin Locking<br>Mechanism |
| S460-84              | Telluride *           | 23.68            | 7.08 x 48  | Painted Micro v-bevel       |
| S460-83              | Vail *                | 23.68            | 7.08 x 48  |                             |
|                      |                       |                  | * Independence Park<br>II and Independence<br>Park are 20 MIL<br>wearlayer |                             |



## SPECIFICATIONS

| PATTERSON PARK      |                             |                  |                       | LAMINATE                    |
|---------------------|-----------------------------|------------------|-----------------------|-----------------------------|
| Thickness (Overall) | Underlayment Foam           | Abrasion Rating  | Warranty              | Surface Texture             |
| 12 MM               | Required                    | AC4              | 15 YEARS              | EIR, unless noted           |
|                     |                             |                  |                       | Painted Micro v-bevel       |
| Style Number        | Color Name                  | Sq. ft. / Carton | Plank Dimensions (in) |                             |
| L008-01             | Florentin                   | 20.4             | 7.67 x 47.83          | CARB2 Certifed              |
| L008-19             | Augusta                     | 20.4             | 7.67 x 47.83          | Unilin Locking<br>Mechanism |
| L008-02             | Georgetown*                 | 20.4             | 7.67 x 47.83          | Waxed joints                |
| L008-50             | Heron -<br>DISCONTINUED     | 20.45            | 7.67 x 47.83          |                             |
| L008-55             | Lexington -<br>DISCONTINUED | 20.45            | 7.67 x 47.83          |                             |
| L008-62             | Bristol                     | 25.89            | 6.5 x 47.83           |                             |
| L008-95             | La Crosse*                  | 20.4             | 7.67 x 47.83          |                             |
|                     |                             |                  |                       | *Woodgrain Embossed         |

| GRANT PARK          |                             |                  |                       | LAMINATE                    |
|---------------------|-----------------------------|------------------|-----------------------|-----------------------------|
| Thickness (Overall) | Underlayment Foam           | Abrasion Rating  | Warranty              | Surface Texture             |
| 12 MM               | Required                    | AC4              | 25 YEARS              | EIR, unless noted           |
|                     |                             |                  |                       | Painted Micro v-bevel       |
| Style Number        | Color Name                  | Sq. ft. / Carton | Plank Dimensions (in) |                             |
| L001-04             | Devonshire                  | 17.26            | 6.5 x 47.83           |                             |
| L002-19             | Walden                      | 17.26            | 6.5 x 47.83           | CARB2 Certifed              |
| L002-34             | Marbella                    | 17.26            | 6.5 x 47.83           | Unilin Locking<br>Mechanism |
| L002-42             | Rookery                     | 17.26            | 6.5 x 47.83           | Waxed joints                |
| L003-44             | Glenwater                   | 20.4             | 7.67 x 47.83          |                             |
| L012-96             | Westlake                    | 20.4             | 7.67 x 47.83          |                             |
| L012-06             | Market                      | 20.4             | 7.67 x 47.83          |                             |
| L012-21             | Bayside*                    | 20.4             | 7.67 x 47.83          |                             |
| L002-48             | Sanctuary -<br>DISCONTINUED | 17.22            | 6.5 x 47.83           |                             |
| L001-11             | Dockside -<br>DISCONTINUED  | 17.22            | 6.5 x 47.83           |                             |
|                     |                             |                  |                       | *Woodgrain Embossed         |

